

## Model ZOLID.SLAB

The **ZOLID.SLAB** is powered by an Intel® Celeron® processor, providing powerful performance for **demanding applications**. Additionally, it features **three HDMI 2.0 interfaces**, allowing for easy and fast use with multiple displays.


The **fanless design** produces no noise, making it **ideal for production and office workstations**.


The openthinclient® model boots in connection with central administration by the **Management Server \* via network (PXE)**. By using the onboard already integrated SSD, the ThinClient can - after the corresponding configuration in the management software \* - can also be booted locally.

\*ThinClient is delivered without an operating system and management software





### Technical specifications


 **CPU**  
Intel® Celeron® J6412  
1.5 MB cache, up to 2.60 GHz


 **RAM**  
8 GB DDR4 SO-DIMM  
(max. 32 GB)

 **Graphics / display**  
Intel® UHD Graphics 10th Gen


 **LAN**  
RTL8111H RJ45  
10/100/1000 Mbps


 **Audio**  
Realtek HD  
1× Mic-in  
1× Line-out

 **Connections**  
1× SIM  
2× LAN  
4× USB (2.0)  
2× USB (3.2)  
1× USB-C  
3× HDMI2.0  
1× COM

 **Intern**  
1× M.2 2280 NVMe SSD  
1× M.2 2242/2280 SATA SSD

 **Power supply**  
12V DC-IN


 **Performance**  
approx 10 watt


 **Measurements and weight**  
191mm × 151mm x 34mm (H×B×T)  
1,03 Kg


 **Cooling**  
Fanless


 **Surroundings**  
-20°C to 60°C  
Ambient temperature  
in operation


 **Guarantee**  
24 months Bring-in (B2B)

 **Certification mark**  
CE, RoHS, LVD

 **Accessories (included)**  
external power supply  
VESA mount

 **Accessories (optional)**  
Warranty extension to  
36, 48, 60 months

 **Recommended thin client software**  
openthinclient OS, ab Version 2022.x

 **Note**  
Device dissipates the developed heat  
via the housing. A cover can lead to  
damage.